Ref #	Hits	Search Query	DBs	Default Operator	Plurals	Time Stamp
L1	422	123/46sc.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 06:55
L2	53	123/46h.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 06:55
L3	463	1 2	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 06:58
L4	190	3 and (stop or engage\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 07:11
L5	188	4 and piston	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 07:11
L6	157	5 and (spring or elastic)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 07:11
L7	149	6 and cylinder	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 07:11
L8	37	7 and lock	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 07:11
L9	772	227/8.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 07:10
L10	407	227/9.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 07:10
L11	813	227/10.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 07:10

L12	185	227/11.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 07:10
L13	1944	9 10 11 12	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 07:10
L14	1283	13 and tool	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 07:11
L15	929	14 and (stop or engage\$4)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 07:11
L16	826	15 and (spring or elastic)	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 07:11
L17	254	16 and lock	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 07:11
L18	172	17 and piston	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 07:11
L19	94	18 and cylinder	US-PGPUB; USPAT; USOCR; EPO; JPO	OR	ON	2006/05/15 07:25
L20	1	(tool and (guide with cylinder) and piston and stop and lock and (elastic or spring) and (stop or engage\$4) and lock)[clm]	US-PGPUB	OR	ON	2006/05/15 07:27
L21	1	(tool and (guide with cylinder) and piston and stop and lock and (elastic or spring) and (stop or engage\$4))[clm]	US-PGPUB	OR	ON	2006/05/15 07:28
S1	102	123/460.ccls.	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/11/30 13:38

S2	0	S1 and tool[ti]	LIC DCDLID:	OR	ON	2005/00/20 02:44
52		31 and tooilal	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	UK	OIN	2005/09/20 02:11
S3	3	S1 and tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/20 02:13
S4	1261423	tool	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/20 02:13
S5	339155	tool[ti]	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/20 02:13
S6	18207	S5 and piston	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR .	ON	2005/09/20 02:13
<b>S</b> 7	1243	S6 and (guide with cylinder)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/20 02:13
S8	516	S7 and stop	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/20 02:14
<b>S</b> 9	221	S8 and fasten\$3	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/20 02:15
S10	68	S9 and (setting with tool)	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/20 02:15
S11	24	S10 and fuel	US-PGPUB; USPAT; USOCR; EPO; JPO; DERWENT	OR	ON	2005/09/20 02:16

S12	36	123/46h.ccls.	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 13:38
S13	15	S12 and tool	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 13:39
S14	15	S13 and piston	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 13:39
S15	6	S14 and (guide with cylinder)	US-PGPUB; USPAT; USOCR	OR	ON	2005/11/30 13:40
S16	2	S15 and lock	US-PGPUB; USPAT; USOCR	OR	ON	2005/12/02 11:06